

IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 • (909) 472-4100 Fax (909) 472-4244 • www.iapmo.org



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

The most updated information on this Certificate of Listing is available online at pld.iapmo.org

Effective Date: September 2016 -Rev. 12/19/2016- Void After: September 2017

Product: Showers (Plastic) File No. 8020

Issued To: Mincey Marble Manufacturing
4321 Browns Bridge Road
Gainesville, GA 30504

Identification: Manufacturer's name and/or trademark or both shall be permanently and legibly marked on the unit so as to be visible after installation.

Field installed kits shall be marked on the package or the product with the manufacturer's name or trademark, kit model numbers of the fixture(s). The product shall also bear the cUPC® certification mark.

Characteristics: Plastic shower units with or without walls manufactured integral with the shower; or as a multi-piece unit distributed as part of the shower unit. Showers intended for installation against a wall shall incorporate an integral, factory applied nailing flange in accordance with CSA B45.5-11/IAPMO Z124-2011. Showers w/o nailing flanges are listed as drop-in units only and are not to be installed against a wall. To be installed in accordance with the manufacturer's instruction and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the


Chairman, Product Certification Committee


CEO, The IAPMO Group



This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

-Rev. 12/19/2016-

Void After: September 2017

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

National Plumbing Code of Canada

International Plumbing Code (IPC®)

Products are in compliance with the following standard(s):

CSA B45.5-11/IAPMO Z124-2011 including Update No. 1 dated May 2012



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 3

-Rev. 12/19/2016-

Void After: September 2017

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

MODELS:

<u>Model No.</u>	<u>Description</u>
CFP-30-36-60-xx-xx	36"x60" curved front shower pan w/integral 4" front curb
CP-3650-FD-SF	37"x 56" Standard Rectangle Shower Pan with left Off-Set Drain
SP-03-OS/SF	Doorless Walk-In Shower pan with off-set drain
SP-3162-C-SF	31"x 62" Roll- In shower Pan, ADA
SP-3260-C/SF	32"x60" Standard rectangle shower pan
SP-3260-OS/SF	32"x 60" Standard Shower Pan with Right Off-Set Drain
SP-3260-xx-xx	32"x60" standard shower pan
SP-3454-xx-xx	34"x54" standard shower pan
SP-3460-OS/SF	34"x60" Standard rectangle shower pan with off-set drain
SP-3460-xx-xx	34"x60" standard shower pan
SP-3636-xx-xx	36"x36" standard shower pan
SP-3648-xx-xx	36"x48" standard shower pan
SP-3654-16.5-xx-xx	36"x54" standard shower pan
SP-3654-9-xx-xx	36"x54" standard shower pan
SP-3660-10-xx-xx	36"x60" standard shower pan
SP-3660-16.5-xx-xx	36"x60" standard shower pan
SP-3660-xx-xx	36"x60" standard shower pan
SP-3756-OS/SF	37"x 56" Standard Rectangle Shower Pan with Left Off-Set Drain
SP-4040-CD/SF-x	40"x40" standard shower pan
TD-3258-(14 3/16")	OS/SF 32"x58" Trench drain shower pan with off-set drain
TD-3260-xx-xx	32"x60" Trench drain shower pan
TD-3264-(14 3/16")	OS/SF 32"x64" Trench drain shower pan with off-set drain
TD-32-ADJ x 66/OS	Adjustable Length Trench Drain Shower Pan with left Off-Set Drain
TD-35-ADJ-60-OS/S	Adjustable Length Trench Drain Shower Pan with left Off-Set Drain
TD-4260-OS/SF	42"x60" Trench drain shower pan with off-set drain
TD-CFP-30-34-60-xxx/xx-xx	30"x34"x60" curved front trench drain shower pan
TP-3838-C-SF	38" x 38" Transfer Shower Pan, ADA

Suffixes:

C-IF Center Drain-Integral Flange
OS-IF Offset Drain-Integral Flange
OS-SF Offset Drain-Separate Flange
CD-IF Corner Drain-Integral Flange

Model No.

SP-01-XXXX/XX(X)
SP-3060-XXXX/ XX (X)-X
SP-3448-XXXX/XX
SP-3642-XXXX/XX
SP-3654.5-XXXX/XX(X)
SP-3670-XXXX/XX(X)
SP-3738-XXXX/XX
SP-4248-XXXX/XX
SP-4260-XXXX/XX



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 4

-Rev. 12/19/2016-

Void After: September 2017

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

TD-3060-XXXX/ XX (X)
TD-3460-xxx/xx-xx
TD-3466-XXXX/XX(X)
TD-3472-XXXX/XX(X)
TD-3660-XXXX/XX(X)

Part Number break down:

A - B - C - D / E - F(G) - H
xxx - xx- 3660 - xxx/xx - x(x) - x

A = Base Pan Type, represent either option:

SP-Standard pan
TD-Trench Drain pan
CFP-Curved Front pan

B = If provided, it is a curved front pan, B is used to describe pan arc

C = Pan Length and Width

D = Drain Information, represent either option:

C-Center Drain
CD-Corner Drain
OS-Offset Drain
XXOS-Specific Distance of Drain Offset

E- Flange Type, represent either option:

IF-Integral Flange
SF-Separate Flange

F = If Included, Option for Smaller Trench Drain Cover; represent:

P-Petite

G = If included, Left or Right Hand Drain; represent either option:

L-Left
R-Right

H = Reno (Renovation)