### IAPMO RESEARCH AND TESTING, INC.

5001 East Philadelphia Street, Ontario, California 91761-2816 - USA • 909-472-4100 • 909-472-4244 • www.iapmort.org







# UPC ®

## **CERTIFICATE OF LISTING**

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Effective Date:	September 2019	-Rev. 1/2/2020-	Void After:	September 20	024
Product:	Showers (Plastic)			File No. 80	020
Issued To:	Mincey Marble Manufacturing 1940 New Harvest Rd. Gainesville, GA 30507-8772				

Identification: Manufacturer's name and/or trademark or both shall be permanently and legibly marked on the unit so as to be visible after installation.

Field installed kits shall be marked on the package or the product with the manufacturer's name or trademark, kit model numbers of the fixture(s). The product shall also bear the cUPC® certification mark.

Characteristics: Plastic shower units with or without walls manufactured integral with the shower; or as a multi-piece unit distributed as part of the shower unit. Showers intended for installation against a wall shall incorporate an integral, factory applied nailing flange in accordance with CSA B45.5-11/IAPMO Z124-2011. Showers w/o nailing flanges are listed as drop-in units only and are not to be installed against a wall. To be installed in accordance with the manufacturer's instruction and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the

w

Chairman, Product Certification Committee

Contraction of the second seco

CEO, The IAPMO Group

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



-Rev. 1/2/2020-

Void After: September 2024

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are in compliance with the following code(s): Uniform Plumbing Code (UPC®) National Plumbing Code of Canada International Plumbing Code (IPC®)

Products are in compliance with the following standard(s): CSA B45.5-17/IAPMO Z124-2017



This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

-Rev. 1/2/2020-

Void After: September 2024

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

Corner Drain-Integral Flange

MODELS:

CD-IF

Model No.	Description			
CFP-30-36-60-xx-xx	36"x60" curved front shower pan w/integral 4" front curb			
CP-3650-FD-SF	37"x 56" Standard Rectangle Shower Pan with left Off-Set Drain			
SP-03-OS/SF	Doorless Walk-In Shower pan with off-set drain			
SP-3162-C-SF	31"x 62" Roll- In shower Pan, ADA			
SP-3260-C/SF	32"x60" Standard rectangle shower pan			
SP-3260-OS/SF	32"x 60" Standard Shower Pan with Right Off-Set Drain			
SP-3260-xx-xx	32"x60" standard shower pan			
SP-3454-xx-xx	34"x54" standard shower pan			
SP-3460-OS/SF	34"x60" Standard rectangle shower pan with off-set drain			
SP-3460-xx-xx	34"x60" standard shower pan			
SP-3636-xx-xx	36"x36" standard shower pan			
SP-3648-xx-xx	36"x48" standard shower pan			
SP-3654-16.5-xx-xx	36"x54" standard shower pan			
SP-3654-9-xx-xx	36"x54" standard shower pan			
SP-3660-10-xx-xx	36"x60" standard shower pan			
SP-3660-10-XX-XX SP-3660-16.5-XX-XX	36"x60" standard shower pan 36"x60" standard shower pan			
	36"x60" standard shower pan 36"x60" standard shower pan			
SP-3660-xx-xx				
SP-3756-OS/SF	37"x 56" Standard Rectangle Shower Pan with Left Off-Set Drain			
SP-4040-CD/SF-x	40"x40" standard shower pan			
SP-4248-C/SF	42"x48" RECTANGLE SHOWER PAN			
TD-3258-(14 3/16")	OS/SF 32"x58" Trench drain shower pan with off-set drain			
TD-3260-xx-xx	32"x60" Trench drain shower pan			
TD-3264-(14 3/16")	OS/SF 32"x64" Trench drain shower pan with off-set drain			
TD-32-ADJ x 66/OS	Adjustable Length Trench Drain Shower Pan with left Off-Set Drain			
TD-3448-OS/SF	34"x48" TRENCH DRAIN SHOWER PAN WITH OFFSET DRAIN			
TD-3454-OS/SF	34"x54" REVERSIBLE TRENCH DRAIN SHOWER PAN WITH OFFSET DRAIN			
TD-3560-OS/SF	35"x60" TRENCH DRAIN SHOWER PAN WITH OFFSET DRAIN			
TD-3565-OS/IF	35"x65" TRENCH DRAIN SHOWER PAN WITH OFFSET DRAIN			
TD-35-ADJ x 60" - CD/SF	35" - ADJ x 60" Trench Drain Shower Pan with Off-Set Corner Drain			
TD-35-ADJ-60-OS/S	Adjustable Length Trench Drain Shower Pan with left Off-Set Drain			
TD-3648-OS/SF	36"x48" Trench Drain Shower Pan with Off-Set Drain			
TD-36-ADJ-72-OS-SF	36"x72" TRENCH DRAIN SHOWER PAN WITH OFFSET DRAIN			
TD-4040-OS/SF	40"x40" REVERSIBLE TRENCH DRAIN SHOWER PAN WITH AN OFFSET DRAIN			
TD-4242-OSR-SF	42"x42" Square Trench Drain Shower Pan with Off-Set Rear Drain			
TD-4260-OS/SF	42"x60" Trench drain shower pan with off-set drain			
	30"x34"x60" curved front trench drain shower pan			
TD-R-3454-OS/SF	34"x54" TRENCH DRAIN SHOWER PAN WITH OFFSET DRAIN			
TP-3838-C-SF	38" x 38" Transfer Shower Pan, ADA			
Suffixes:				
C-IF Center Drain-Integral Flange OS-IF Offset Drain-Integral Flange				
OS-SF Offset Drain-Separate Flange				



This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

-Rev. 1/2/2020-

Void After: September 2024

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

<u>Model No.</u> SP-01-XXX/XX(X) SP-3060-XXX/ XX (X)-X SP-3448-XXX/XX SP-3642-XXX/XX SP-3654.5-XXX/XX(X) SP-3670-XXX/XX(X) SP-3738-XXX/XX SP-4248-XXX/XX SP-4260-XXX/XX TD-3060-XXX/ XX (X) TD-3460-XXX/XX(X) TD-3472-XXX/XX(X) TD-3660-XXX/XX(X)

Part Number break down: A - B - C - D / E - F(G) - H xxx - xx- 3660 - xxx/xx - x(x) - x

A = Base Pan Type, represent either option: SP-Standard pan TD-Trench Drain pan CFP-Curved Front pan

B = If provided, it is a curved front pan, B is used to describe pan arc

C = Pan Length and Width

D = Drain Information, represent either option: C-Center Drain CD-Corner Drain OS-Offset Drain XXOS-Specific Distance of Drain Offset

E- Flange Type, represent either option: IF-Integral Flange SF-Separate Flange

- ${\tt F}$  = If Included, Option for Smaller Trench Drain Cover; represent: <code>P-Petite</code>
- G = If included, Left or Right Hand Drain; represent either option: L-Left R-Right



This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

-Rev. 1/2/2020-

Void After: September 2024

Product: Showers (Plastic)

File No. 8020

Issued To: Mincey Marble Manufacturing

H = Reno (Renovation)